

COALBROOK



WALL OUTLET & HANDSHOWER INSTALLATION


SHOWER BRACKET INSTALLATION DIAGRAM (STEPS 1 - 6)



SHOWER BRACKET INSTALLATION INSTRUCTIONS (STEPS 1 -6)

- 1. Where required, drill a suitable size hole in the mounting surface to suit the threaded tail (A) which is Ø21.
- 2. Before installing the threaded tail into the wall, slide the wall plate (B) over the tail until it comes to a natural stop on the shoulder.
- 3. The shower bracket requires a 1/2" BSP wall outlet recessed in place (C).
- 4. Measure the depth required for the wall plate to finish flush with the mating wall surface. Cut the threaded tail to the required length.
- 5. Apply a suitable sealant or sealing tape to the threaded tail. Screw the threaded tail into the female wall outlet using a 10mm A/F hexagonal key (D).
- 6. Locate the wall outlet bracket onto the exposed section of the threaded tail and secure using the 2 grub screws on the underside of the shower bracket (E).

SHOWER BRACKET INSTALLATION DIAGRAM (STEP 7)




SHOWER BRACKET INSTALLATION INSTRUCTIONS (STEP 7)

7. Use the provided shower hose to connect the handshower to the wall outlet bracket. The conical end of the hose should be screwed onto the threaded end of the handshower (F). Screw the hexagonal end of the shower hose onto the outlet port on the underside of the shower bracket (G).


COALBROOK www.coalbrookuk.co.uk | info@coalbrookuk.co.uk

SPECIFICATION DIAGRAM (mm)



TYPICAL FLOW RATES

Flow rates shown are free-flowing and may vary subject to restrictions created by installation, pipework layout or application



COALBROOK

www.coalbrookuk.co.uk | info@coalbrookuk.co.uk

COALBROOK www.coalbrookuk.co.uk | info@coalbrookuk.co.uk

COALBROOK

Whilst every effort is made to ensure the accuracy of these, they are subject to change without notice as part of the company's product development process. The use of trademarks, product design and artwork is subject to licence or agreement. The design registrations, trademark registrations and copyrights are protected by law and the use or reproduction outside the terms of an agreement is prohibited. The right to modify designs and dimensions is reserved. E & O.E.