




COALBROOK



90MM SHOWER TRAY WASTE INSTALLATION


ST90-70B-WH

COALBROOK 90MM SHOWER TRAY WASTE INSTALLATION

The Trap provides a flow rate of 34 litres per minute when tested in accordance with EN274-2:2002. The flow rate can be seriously impaired if an adequate fall is not maintained throughout the length of the waste pipe.

In order to maintain a high performance flow rate, two sealing washers are supplied. If the thickness of the waste outlet hole, 'X', measures over 6mm, the thinner wash, C1, should be used. If less than 6mm, use the thicker washer, C2.

Install trap into shower tray by assembling parts A, B, C, D & E as illustrated, using spanner, F, provided to tighten waste (A) into trap body (D).



Connect trap outlet (D) to waste pipe (E), ensuring that the pipe is adequately supported. Test the installation.

Important: note the order and position of the sealing washers. Failure to do so can result in water leakage.

COALBROOK 90MM SHOWER TRAY WASTE INSTALLATION

Connect H into cup G, then insert this assembly into trap body (D), ensuring that it is pushed down fully.

Important: If a silicone sealant is used, it should be a neutral sealant and not an acetoxo sealant.

Insert the grate.


Aftercare

Regular maintenance is essential to retain a high performance flow rate.


Remove the grate and tube assembly (G & H)

Clean all the parts

Flush through the trap body with clean water and carefully replace the parts.



Completed assembly:





COALBROOK

Whilst every effort is made to ensure the accuracy of these, they are subject to change without notice as part of the company's product development process.

The use of trademarks, product design and artwork is subject to licence or agreement.

The design registrations, trademark registrations and copyrights are protected by law and the use or reproduction outside the terms of an agreement is prohibited.

The right to modify designs and dimensions is reserved. E & O.E.

V1.0326

COALBROOK

www.coalbrookuk.co.uk | info@coalbrookuk.co.uk